

# 2023 年苏州市吴江区公开招聘 备案制教师面试成绩及进入体检人员名单 公布（小学段）

2023 年苏州市吴江区公开招聘备案制教师面试成绩及进入体检人员名单（小学段），已在面试结束后当天在面试考点张榜公布，现将面试成绩和进入体检名单公示。请进入体检环节的考生于 4 月 4 日到指定医院体检，其它事宜将在 QQ 群内通知。

苏州市吴江区教育局  
2023 年 4 月 3 日

附件：2023年苏州市吴江区公开招聘备案制教师面试成绩及进入体检人员名单（小学段）

准考证号	岗位 代码	笔试 总分	试讲 成绩	技能 成绩	面试 总分	总 成绩	总 名次	是否 进入体检
202303B1541905	B15	81.0	76.77		76.77	78.89	1	进入体检
202303B1542106	B15	78.5	77.10		77.10	77.80	2	进入体检
202303B1541722	B15	76.0	79.10		79.10	77.55	3	进入体检
202303B1540607	B15	77.5	77.30		77.30	77.40	4	进入体检
202303B1545322	B15	83.0	71.27		71.27	77.14	5	进入体检
202303B1545120	B15	80.5	73.63		73.63	77.07	6	进入体检
202303B1545128	B15	75.5	78.40		78.40	76.95	7	进入体检
202303B1540326	B15	75.5	78.03		78.03	76.77	8	进入体检
202303B1541421	B15	76.5	75.67		75.67	76.09	9	进入体检
202303B1545021	B15	74.0	77.40		77.40	75.70	10	否
202303B1542822	B15	76.0	75.17		75.17	75.59	11	否
202303B1540527	B15	72.0	78.80		78.80	75.40	12	否
202303B1540530	B15	71.5	79.23		79.23	75.37	13	否
202303B1541925	B15	76.0	74.37		74.37	75.19	14	否
202303B1541109	B15	74.0	76.33		76.33	75.17	15	否
202303B1541805	B15	76.0	72.80		72.80	74.40	16	否
202303B1543230	B15	71.5	76.27		76.27	73.89	17	否
202303B1541403	B15	70.5	76.47		76.47	73.49	18	否

202303B1544623	B15	70.5	75.87		75.87	73.19	19	否
202303B1540215	B15	71.0	75.03		75.03	73.02	20	否
202303B1543018	B15	71.5	74.07		74.07	72.79	21	否
202303B1544922	B15	70.5	74.97		74.97	72.74	22	否
202303B1544001	B15	70.5	74.30		74.30	72.40	23	否
202303B1542202	B15	70.5	73.53		73.53	72.02	24	否
202303B1545709	B15	72.0	71.63		71.63	71.82	25	否
202303B1544523	B15	70.5	72.13		72.13	71.32	26	否
202303B1641221	B16	87.5	73.70		73.70	80.60	1	进入体检
202303B1643415	B16	79.5	74.40		74.40	76.95	2	进入体检
202303B1644003	B16	79.0	74.57		74.57	76.79	3	进入体检
202303B1645328	B16	81.0	71.73		71.73	76.37	4	进入体检
202303B1645604	B16	76.0	76.40		76.40	76.20	5	进入体检
202303B1641816	B16	76.0	75.00		75.00	75.50	6	进入体检
202303B1642829	B16	73.5	76.83		76.83	75.17	7	进入体检
202303B1645806	B16	74.5	75.03		75.03	74.77	8	进入体检
202303B1641912	B16	76.5	72.23		72.23	74.37	9	进入体检
202303B1642830	B16	73.0	75.27		75.27	74.14	10	否
202303B1641830	B16	74.5	73.43		73.43	73.97	11	否
202303B1645020	B16	71.5	76.00		76.00	73.75	12	否
202303B1644016	B16	73.0	74.10		74.10	73.55	13	否
202303B1642417	B16	78.0	68.80		68.80	73.40	14	否

202303B1645224	B16	72.5	73.73		73.73	73.12	15	否
202303B1645306	B16	72.5	73.33		73.33	72.92	16	否
202303B1643127	B16	71.0	74.37		74.37	72.69	17	否
202303B1641710	B16	69.5	75.47		75.47	72.49	18	否
202303B1642125	B16	70.0	73.63		73.63	71.82	19	否
202303B1642013	B16	69.0	74.47		74.47	71.74	20	否
202303B1643527	B16	69.0	73.97		73.97	71.49	21	否
202303B1645420	B16	70.5	72.37		72.37	71.44	22	否
202303B1642603	B16	69.0	73.73		73.73	71.37	23	否
202303B1642212	B16	70.5	71.63		71.63	71.07	24	否
202303B1642105	B16	68.5	73.23		73.23	70.87	25	否
202303B1645113	B16	69.5	69.93		69.93	69.72	26	否
202303B1744821	B17	76.5	83.17		83.17	79.84	1	进入体检
202303B1742421	B17	82.5	77.10		77.10	79.80	2	进入体检
202303B1742107	B17	82.5	75.33		75.33	78.92	3	进入体检
202303B1742906	B17	78.5	78.80		78.80	78.65	4	进入体检
202303B1741706	B17	78.5	76.90		76.90	77.70	5	进入体检
202303B1744420	B17	78.0	77.30		77.30	77.65	6	进入体检
202303B1742607	B17	72.5	81.83		81.83	77.17	7	进入体检
202303B1740801	B17	76.5	77.07		77.07	76.79	8	进入体检
202303B1740813	B17	76.5	76.27		76.27	76.39	9	进入体检
202303B1740506	B17	76.0	76.73		76.73	76.37	10	否

202303B1742402	B17	72.5	79.60		79.60	76.05	11	否
202303B1745729	B17	76.5	75.13		75.13	75.82	12	否
202303B1740410	B17	81.0	70.60		70.60	75.80	13	否
202303B1744815	B17	73.0	78.53		78.53	75.77	14	否
202303B1743526	B17	75.5	75.27		75.27	75.39	15	否
202303B1745412	B17	73.5	77.13		77.13	75.32	16	否
202303B1744628	B17	73.5	76.97		76.97	75.24	17	否
202303B1745109	B17	73.5	76.73		76.73	75.12	18	否
202303B1742311	B17	75.5	74.23		74.23	74.87	19	否
202303B1744322	B17	70.5	78.60		78.60	74.55	20	否
202303B1743229	B17	74.5	73.60		73.60	74.05	21	否
202303B1745312	B17	70.5	77.30		77.30	73.90	22	否
202303B1741619	B17	71.0	76.33		76.33	73.67	23	否
202303B1742419	B17	72.5	74.40		74.40	73.45	24	否
202303B1742910	B17	74.0	72.67		72.67	73.34	25	否
202303B1743509	B17	73.0	73.33		73.33	73.17	26	否
202303B1741517	B17	70.5	75.70		75.70	73.10	27	否
202303B1741116	B17	72.5	73.43		73.43	72.97	28	否
202303B1740827	B17	72.5	72.60		72.60	72.55	29	否
202303B1823224	B18	87.5	83.50		83.50	85.50	1	进入体检
202303B1822201	B18	92.0	78.50		78.50	85.25	2	进入体检
202303B1820125	B18	92.0	78.30		78.30	85.15	3	进入体检

202303B1822324	B18	87.0	81.07		81.07	84.04	4	进入体检
202303B1820816	B18	90.5	76.27		76.27	83.39	5	进入体检
202303B1820527	B18	93.0	73.30		73.30	83.15	6	进入体检
202303B1820423	B18	85.0	78.90		78.90	81.95	7	进入体检
202303B1820317	B18	85.0	77.87		77.87	81.44	8	进入体检
202303B1820929	B18	81.0	81.20		81.20	81.10	9	进入体检
202303B1822621	B18	78.5	82.63		82.63	80.57	10	进入体检
202303B1822317	B18	83.5	77.53		77.53	80.52	11	否
202303B1822619	B18	83.5	76.67		76.67	80.09	12	否
202303B1820119	B18	79.5	78.70		78.70	79.10	13	否
202303B1820711	B18	79.5	77.93		77.93	78.72	14	否
202303B1823411	B18	79.0	77.97		77.97	78.49	15	否
202303B1821303	B18	84.0	72.23		72.23	78.12	16	否
202303B1820801	B18	90.0	65.87		65.87	77.94	17	否
202303B1823705	B18	78.5	77.07		77.07	77.79	18	否
202303B1821815	B18	86.5	68.93		68.93	77.72	19	否
202303B1821505	B18	75.5	79.40		79.40	77.45	20	否
202303B1822006	B18	79.5	74.50		74.50	77.00	21	否
202303B1822313	B18	75.0	78.97		78.97	76.99	22	否
202303B1821328	B18	76.0	77.50		77.50	76.75	23	否
202303B1823608	B18	79.5	71.00		71.00	75.25	24	否
202303B1823426	B18	72.5	76.77		76.77	74.64	25	否

202303B1820121	B18	72.5	76.60		76.60	74.55	26	否
202303B1824015	B18	75.0	73.53		73.53	74.27	27	否
202303B1822203	B18	72.5	75.33		75.33	73.92	28	否
202303B1824019	B18	77.0	69.87		69.87	73.44	29	否
202303B1923623	B19	88.0	78.60		78.60	83.30	1	进入体检
202303B1920728	B19	88.0	76.30		76.30	82.15	2	进入体检
202303B1921425	B19	84.5	79.03		79.03	81.77	3	进入体检
202303B1923517	B19	85.5	76.53		76.53	81.02	4	进入体检
202303B1921812	B19	85.5	74.30		74.30	79.90	5	进入体检
202303B1923928	B19	82.5	76.83		76.83	79.67	6	进入体检
202303B1921427	B19	81.0	74.57		74.57	77.79	7	进入体检
202303B1923819	B19	83.5	72.00		72.00	77.75	8	进入体检
202303B1923906	B19	81.5	73.77		73.77	77.64	9	进入体检
202303B1923326	B19	80.0	74.60		74.60	77.30	10	进入体检
202303B1920124	B19	76.0	77.77		77.77	76.89	11	否
202303B1922304	B19	78.0	75.67		75.67	76.84	12	否
202303B1921308	B19	78.0	73.80		73.80	75.90	13	否
202303B1924518	B19	76.5	74.37		74.37	75.44	14	否
202303B1921730	B19	72.0	78.13		78.13	75.07	15	否
202303B1922327	B19	75.5	74.40		74.40	74.95	16	否
202303B1921326	B19	75.5	74.30		74.30	74.90	17	否
202303B1920828	B19	75.0	74.17		74.17	74.59	18	否

202303B1922017	B19	77.5	71.27		71.27	74.39	19	否
202303B1921514	B19	83.0	65.70		65.70	74.35	20	否
202303B1921614	B19	73.0	73.97		73.97	73.49	21	否
202303B1923116	B19	71.0	74.60		74.60	72.80	22	否
202303B1923511	B19	74.5	70.57		70.57	72.54	23	否
202303B1920107	B19	72.5	71.33		71.33	71.92	24	否
202303B1920804	B19	71.0	72.53		72.53	71.77	25	否
202303B1923803	B19	80.0	62.40		62.40	71.20	26	否
202303B1921701	B19	78.5	62.53		62.53	70.52	27	否
202303B1923927	B19	75.5	64.27		64.27	69.89	28	否
202303B1920319	B19	72.0	64.70		64.70	68.35	29	否
202303B2022319	B20	87.5	81.43		81.43	84.47	1	进入体检
202303B2022026	B20	82.0	85.53		85.53	83.77	2	进入体检
202303B2021222	B20	86.5	79.87		79.87	83.19	3	进入体检
202303B2021030	B20	85.0	80.83		80.83	82.92	4	进入体检
202303B2021828	B20	81.0	84.03		84.03	82.52	5	进入体检
202303B2020830	B20	88.0	76.83		76.83	82.42	6	进入体检
202303B2024012	B20	91.0	73.40		73.40	82.20	7	进入体检
202303B2021018	B20	83.0	80.93		80.93	81.97	8	进入体检
202303B2022729	B20	79.5	83.27		83.27	81.39	9	进入体检
202303B2021904	B20	76.5	85.03		85.03	80.77	10	进入体检
202303B2021517	B20	93.0	68.50		68.50	80.75	11	否



202303B2021906	B20	75.0	85.27		85.27	80.14	12	否
202303B2021908	B20	80.0	80.03		80.03	80.02	13	否
202303B2023103	B20	83.0	76.73		76.73	79.87	14	否
202303B2024212	B20	84.0	75.10		75.10	79.55	15	否
202303B2020227	B20	82.0	76.73		76.73	79.37	16	否
202303B2023418	B20	75.0	83.20		83.20	79.10	17	否
202303B2023708	B20	74.0	82.87		82.87	78.44	18	否
202303B2021816	B20	73.0	83.43		83.43	78.22	19	否
202303B2021203	B20	74.0	80.97		80.97	77.49	20	否
202303B2021611	B20	73.5	80.03		80.03	76.77	21	否
202303B2020710	B20	73.0	80.47		80.47	76.74	22	否
202303B2022516	B20	71.5	81.60		81.60	76.55	23	否
202303B2023311	B20	71.5	81.50		81.50	76.50	24	否
202303B2023725	B20	73.0	79.50		79.50	76.25	25	否
202303B2020230	B20	78.5	71.63		71.63	75.07	26	否
202303B2024316	B20	71.5	77.63		77.63	74.57	27	否
202303B2023401	B20	74.5	73.97		73.97	74.24	28	否
202303B2021709	B20	72.0	74.73		74.73	73.37	29	否
202303B2022905	B20	74.5	71.37		71.37	72.94	30	否
202303B2124519	B21	92.5	82.53		82.53	87.52	1	进入体检
202303B2121119	B21	96.0	78.20		78.20	87.10	2	进入体检
202303B2121802	B21	83.5	82.03		82.03	82.77	3	进入体检

202303B2121206	B21	82.0	82.30		82.30	82.15	4	进入体检
202303B2121330	B21	81.5	81.83		81.83	81.67	5	进入体检
202303B2124517	B21	81.0	81.47		81.47	81.24	6	进入体检
202303B2123907	B21	82.5	79.97		79.97	81.24	7	进入体检
202303B2123726	B21	79.0	82.50		82.50	80.75	8	进入体检
202303B2124523	B21	79.5	81.77		81.77	80.64	9	进入体检
202303B2120620	B21	80.5	79.30		79.30	79.90	10	进入体检
202303B2124430	B21	78.0	81.63		81.63	79.82	11	否
202303B2123921	B21	79.0	80.20		80.20	79.60	12	否
202303B2121723	B21	73.5	85.57		85.57	79.54	13	否
202303B2123716	B21	71.5	85.23		85.23	78.37	14	否
202303B2122720	B21	72.0	83.20		83.20	77.60	15	否
202303B2124514	B21	78.5	76.70		76.70	77.60	16	否
202303B2123413	B21	71.5	81.60		81.60	76.55	17	否
202303B2120703	B21	73.0	80.10		80.10	76.55	18	否
202303B2122029	B21	74.5	78.10		78.10	76.30	19	否
202303B2122507	B21	74.5	78.03		78.03	76.27	20	否
202303B2124324	B21	74.5	77.20		77.20	75.85	21	否
202303B2120818	B21	75.0	76.60		76.60	75.80	22	否
202303B2120720	B21	72.0	79.17		79.17	75.59	23	否
202303B2120117	B21	69.0	81.67		81.67	75.34	24	否
202303B2121015	B21	67.5	77.27		77.27	72.39	25	否

202303B2120803	B21	67.5	75.83		75.83	71.67	26	否
202303B2212230	B22	95.5	76.73		76.73	86.12	1	进入体检
202303B2212118	B22	93.5	76.23		76.23	84.87	2	进入体检
202303B2212007	B22	92.5	76.07		76.07	84.29	3	进入体检
202303B2210822	B22	92.0	76.53		76.53	84.27	4	进入体检
202303B2215722	B22	87.5	80.03		80.03	83.77	5	进入体检
202303B2213718	B22	92.0	75.40		75.40	83.70	6	进入体检
202303B2215616	B22	89.0	77.93		77.93	83.47	7	进入体检
202303B2211616	B22	88.5	78.07		78.07	83.29	8	进入体检
202303B2216118	B22	92.5	74.00		74.00	83.25	9	进入体检
202303B2212223	B22	90.0	76.40		76.40	83.20	10	进入体检
202303B2210403	B22	92.0	74.27		74.27	83.14	11	否
202303B2215809	B22	90.0	76.13		76.13	83.07	12	否
202303B2211805	B22	89.5	76.13		76.13	82.82	13	否
202303B2212711	B22	90.5	74.60		74.60	82.55	14	否
202303B2212617	B22	88.0	76.97		76.97	82.49	15	否
202303B2212914	B22	90.0	74.93		74.93	82.47	16	否
202303B2214720	B22	89.5	75.40		75.40	82.45	17	否
202303B2210308	B22	88.0	76.77		76.77	82.39	18	否
202303B2214128	B22	90.5	73.93		73.93	82.22	19	否
202303B2211725	B22	89.5	74.87		74.87	82.19	20	否
202303B2215622	B22	88.0	76.33		76.33	82.17	21	否

202303B2215502	B22	87.5	76.73		76.73	82.12	22	否
202303B2211106	B22	87.5	76.67		76.67	82.09	23	否
202303B2210720	B22	88.5	75.47		75.47	81.99	24	否
202303B2212105	B22	87.5	75.37		75.37	81.44	25	否
202303B2211902	B22	90.5	72.07		72.07	81.29	26	否
202303B2212625	B22	87.5	74.93		74.93	81.22	27	否
202303B2210910	B22	88.0	74.30		74.30	81.15	28	否
202303B2210520	B22	87.5	74.67		74.67	81.09	29	否
202303B2213205	B22	87.5	74.40		74.40	80.95	30	否
202303B2213110	B22	87.5	72.70		72.70	80.10	31	否
202303B2331203	B23	81.5	79.23		79.23	80.37	1	进入体检
202303B2331323	B23	77.5	81.07		81.07	79.29	2	进入体检
202303B2330819	B23	81.0	77.27		77.27	79.14	3	进入体检
202303B2331302	B23	71.0	77.47		77.47	74.24	4	否
202303B2334112	B23	74.5	73.60		73.60	74.05	5	否
202303B2331028	B23	71.0	75.57		75.57	73.29	6	否
202303B2331111	B23	71.0	73.43		73.43	72.22	7	否
202303B2430719	B24	69.0	82.07		82.07	75.54	1	进入体检
202303B2430126	B24	70.0	76.87		76.87	73.44	2	进入体检
202303B2430417	B24	67.5	78.13		78.13	72.82	3	否
202303B2430518	B24	66.5	78.80		78.80	72.65	4	否
202303B2430415	B24	66.5	77.50		77.50	72.00	5	否

202303B2430105	B24	66.5	76.73		76.73	71.62	6	否
202303B2430205	B24	66.5	75.80		75.80	71.15	7	否
202303B2434102	B24	66.5	75.77		75.77	71.14	8	否